

MPS Observing Campaign June 2014

Overview of He I 10830 data

Andreas Lagg, Jayant Joshi

Max-Planck-Institut für Sonnensystemforschung
Göttingen, Germany


MPS, Jul 21+22 2014



- 1 Sunspots
 - close to disk center
 - time series
 - medium heliocentric angle
 - close to limb
- 2 Spicules
- 3 Pore
- 4 Bipolar Regions

AR 12096, $\mu = 0.98$

27jun14.009: Cont Stokes I




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: Si 10827 Stokes I




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: Si 10827 Stokes V/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: Si 10827 Stokes Q/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: Si 10827 Stokes U/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: He 10830 Stokes I




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: He 10830 Stokes I/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: He 10830 Stokes Q/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$

27jun14.009: He 10830 Stokes U/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.

AR 12096, $\mu = 0.98$


27jun14.009: He 10830 Stokes V/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.5%
res=0".44

(¹)3 WL-pix avg.


Powerspectrum Icont 27jun14.009



Powerspectrum Si V 27jun14.009




Powerspectrum He V 27jun14.009



AR 12098, $\mu = 0.97$

25jun14.006: Cont Stokes I




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.2%
res=0".41

scans also with slit || to
filaments

(¹)₃ WL-pix avg.

AR 12098, $\mu = 0.97$

25jun14.006: Si 10827 Stokes I/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.2%
res=0".41

scans also with slit || to
filaments

(¹)₃ WL-pix avg.

AR 12098, $\mu = 0.97$


25jun14.006: He 10830 Stokes I/Ic




order 5
40ms, 10 acq
noise¹=7-11E-4
RMS contr=2.2%
res=0".41

scans also with slit || to
filaments


(¹)₃ WL-pix avg.




25jun14.006: He 10830 Stokes I/Ic




Stokes Q/Ic




Stokes U/Ic




Stokes V/Ic




AR 12096, $\mu = 0.6$ & filament

order 5; 40ms, 20 acq; noise=6–9E-4; RMS contr=1.8%; res=0".41


24jun14.005: He 10830 Stokes I/Ic




Stokes LP/Ic




Stokes V/Ic




order 5; 40ms, 20 acq; noise=6–9E-4; RMS contr=1.8%; res=0".41

AR 12096, $\mu = 0.25$ & filament


order 5; 60ms, 20 acq; noise=5–8E-4; RMS contr=1.8%; res=0".6
more good scans at various μ angles available

AR 12096, $\mu = 0.25$ & filament


order 5; 60ms, 20 acq; noise=5–8E-4; RMS contr=1.8%; res=0".6
more good scans at various μ angles available



order 5; 60ms, 20 acq; noise=6–10E-4; RMS contr=2.2%; res=0''68
also available: limb scan above spot




order 5; 60ms, 20 acq; noise=6–10E-4; RMS contr=2.2%; res=0".68
also available: limb scan above spot

pore and AFS, $\mu = 0.97$ 


order 5; 60ms, 20 acq; noise=5–8E-4; RMS contr=1.8%; res=0''44

pore and AFS, $\mu = 0.97$


27jun14.021: He 10830 Stokes I/Ic




Stokes LP/Ic




Stokes V/Ic



order 5; 60ms, 20 acq; noise=5–8E-4; RMS contr=1.8%; res=0".44



order 5; 40ms, 20 acq; noise=6–10E-4; RMS contr=2.2%; res=0''6
also available: time series of loop top, 2 other AFSs / EMFs

AR 12098, $\mu = 0.97$ 

order 5; 40ms, 20 acq; noise=6–10E-4; RMS contr=2.2%; res=0".6
also available: time series of loop top, 2 other AFSs / EMFs